

Codice Dianflex: 331-F510205



BUCCCHI
Fittings for
plastic pipes and systems



PROLUNGA estremità maschio filettate G1 ISO 7/1 estremità maschio filettate gas conico R secondo ISO 7/1

PROLUNGA

5100205

Codice	R	L	H (cm)
5100205.2903L020	1/2"	15	20
5100205.2903L030	1/2"	15	30
5100205.2903L050	1/2"	15	50
5100205.2903L100	1/2"	15	100
5100205.2905L020	3/4"	17	20
5100205.2905L030	3/4"	17	30
5100205.2905L050	3/4"	17	50
5100205.2905L100	3/4"	17	100

Codice	R	L	H (cm)
5100205.2907L020	1"	20	20
5100205.2907L030	1"	20	30
5100205.2907L050	1"	20	50
5100205.2907L100	1"	20	100
5100205.2909L030	1"1/4	22	30

Scheda Tecnica

E-commerce	Prodotto non disponibile su E-commerce
-------------------	--

Standard di connessione	Filettatura esterna GAS ISO 7/1
Pressione di esercizio	10 bar a 20°C
Temperatura massima di esercizio	80°C
Materiali	Polipropilene (PP)
Colori	Marrone (RAL 8002)

Colore

